

Philips Color Kinetics

## eW Burst Compact Powercore

Compact architectural and landscape LED spotlight with solid white light


[Product page](#)

Beam Angle	8°, 14°, 23°, 41°, 10° x 41°
Lumens†	520 to 812
Color Temperature*	2700 K, 4000 K
Power Consumption	15 W

[Custom products information available](#)

eW Burst Compact Powercore is a high-output, exterior LED spotlight designed for accent and site lighting. Architectural and Landscape versions deliver high-quality white light in a warm 2700 K and a neutral 4000 K to support a range of uplighting, floodlighting, and decorative lighting applications.

- Integrates patented Powercore technology—Powercore rapidly, efficiently, and accurately controls power output to luminaires directly from line voltage, eliminating the need for an external power supply. Contractor-friendly installation dramatically simplifies installation and lowers total system cost.
- Flexible mounting in architectural applications—Architectural luminaires feature an integrated yoke with canopy base for mounting to standard US junction boxes or directly to a flat surface or substrate as local codes permit. Landscape luminaires feature a 0.5 in NPT threaded post for mounting to standard junction boxes, stanchion mounts, posts, and stakes for use in softscape and hardscape applications.
- Exchangeable optics and accessories—Available 14°, 23°, 41°, and asymmetric 10° x 41° spread lenses project a soft-edge beam to support a wide range of lighting applications. Native 8° beam angle offers extended light projection. Available glare shields block spill light, while honeycomb louvers limit the spread of light for a more focused and intense beam.

Input Voltage	100 to 277 VAC, auto-ranging, 50/60 Hz
Housing	Die-cast aluminium, powder-coated finish
Approbations	UL/cUL, FCC Class A, CE, CQC, C-Tick, SAA
Environment	Dry/Damp/Wet Location, IP66

## 8° Native (no spread lens) Specification Sheets

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Weight	Item Number	12 NC
<a href="#">2700 K, 8° (No Spread Lens), Black Housing, CE, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-12	910503701928
<a href="#">2700 K, 8° (No Spread Lens), Black Housing, CQC, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-14	910503701930
<a href="#">2700 K, 8° (No Spread Lens), Black Housing, UL/cUL, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-10	910503701926
<a href="#">2700 K, 8° (No Spread Lens), Black Housing, UL/cUL/CE, Landscape</a>	8°	624	41.9	15 W	2 kg (4.4 lb)	523-000059-08	910503701924
<a href="#">2700 K, 8° (No Spread Lens), Gray Housing, CE, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-04	910503701665
<a href="#">2700 K, 8° (No Spread Lens), Gray Housing, CQC, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-06	910503701747
<a href="#">2700 K, 8° (No Spread Lens), Gray Housing, UL/cUL, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-02	910503701663
<a href="#">2700 K, 8° (No Spread Lens), Gray Housing, UL/cUL/CE, Landscape</a>	8°	624	41.9	15 W	2 kg (4.4 lb)	523-000059-00	910503701661
<a href="#">2700 K, 8° (No Spread Lens), White Housing, CE, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-20	910503701936
<a href="#">2700 K, 8° (No Spread Lens), White Housing, CQC, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-22	910503701938
<a href="#">2700 K, 8° (No Spread Lens), White Housing, UL/cUL, Architectural</a>	8°	624	41.9	15 W	3.9 kg (8.7 lb)	523-000059-18	910503701934
<a href="#">2700 K, 8° (No Spread Lens), White Housing, UL/cUL/CE, Landscape</a>	8°	624	41.9	15 W	2 kg (4.4 lb)	523-000059-16	910503701932
<a href="#">4000 K, 8° (No Spread Lens), Black Housing, CE, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-13	910503701929
<a href="#">4000 K, 8° (No Spread Lens), Black Housing, CQC, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-15	910503701931
<a href="#">4000 K, 8° (No Spread Lens), Black Housing, UL/cUL, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-11	910503701927
<a href="#">4000 K, 8° (No Spread Lens), Black Housing, UL/cUL/CE, Landscape</a>	8°	812	53.8	15 W	2 kg (4.4 lb)	523-000059-09	910503701925
<a href="#">4000 K, 8° (No Spread Lens), Gray Housing, CE, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-05	910503701666
<a href="#">4000 K, 8° (No Spread Lens), Gray Housing, CQC, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-07	910503701748
<a href="#">4000 K, 8° (No Spread Lens), Gray Housing, UL/cUL, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-03	910503701664
<a href="#">4000 K, 8° (No Spread Lens), Gray Housing, UL/cUL/CE, Landscape</a>	8°	812	53.8	15 W	2 kg (4.4 lb)	523-000059-01	910503701662

## 8° Native (no spread lens) (cont.)

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Weight	Item Number	12 NC
<a href="#">4000 K, 8° (No Spread Lens), White Housing, CE, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-21	910503701937
<a href="#">4000 K, 8° (No Spread Lens), White Housing, CQC, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-23	910503701939
<a href="#">4000 K, 8° (No Spread Lens), White Housing, UL/cUL, Architectural</a>	8°	812	53.8	15 W	3.9 kg (8.7 lb)	523-000059-19	910503701935
<a href="#">4000 K, 8° (No Spread Lens), White Housing, UL/cUL/CE, Landscape</a>	8°	812	53.8	15 W	2 kg (4.4 lb)	523-000059-17	910503701933

## 14° Spread Lens

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Item Number	Spread Lens	12 NC	Spread Lens 12 NC
<a href="#">2700 K, 14° Spread Lens, Black Housing, CE, Architectural</a>	14°	543	36.4	15 W	523-000059-12	120-000080-04	910503701928	910503701415
<a href="#">2700 K, 14° Spread Lens, Black Housing, CQC, Architectural</a>	14°	543	36.4	15 W	523-000059-14	120-000080-04	910503701930	910503701415
<a href="#">2700 K, 14° Spread Lens, Black Housing, UL/cUL, Architectural</a>	14°	543	36.4	15 W	523-000059-10	120-000080-04	910503701926	910503701415
<a href="#">2700 K, 14° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	14°	543	36.4	15 W	523-000059-08	120-000080-04	910503701924	910503701415
<a href="#">2700 K, 14° Spread Lens, Gray Housing, CE, Architectural</a>	14°	543	36.4	15 W	523-000059-04	120-000080-04	910503701665	910503701415
<a href="#">2700 K, 14° Spread Lens, Gray Housing, CQC, Architectural</a>	14°	543	36.4	15 W	523-000059-06	120-000080-04	910503701747	910503701415
<a href="#">2700 K, 14° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	14°	543	36.4	15 W	523-000059-02	120-000080-04	910503701663	910503701415
<a href="#">2700 K, 14° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	14°	543	36.4	15 W	523-000059-00	120-000080-04	910503701661	910503701415
<a href="#">2700 K, 14° Spread Lens, White Housing, CE, Architectural</a>	14°	543	36.4	15 W	523-000059-20	120-000080-04	910503701936	910503701415
<a href="#">2700 K, 14° Spread Lens, White Housing, CQC, Architectural</a>	14°	543	36.4	15 W	523-000059-22	120-000080-04	910503701938	910503701415
<a href="#">2700 K, 14° Spread Lens, White Housing, UL/cUL, Architectural</a>	14°	543	36.4	15 W	523-000059-18	120-000080-04	910503701934	910503701415
<a href="#">2700 K, 14° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	14°	543	36.4	15 W	523-000059-16	120-000080-04	910503701932	910503701415
<a href="#">4000 K, 14° Spread Lens, Black Housing, CE, Architectural</a>	14°	685	45.7	15 W	523-000059-13	120-000080-04	910503701929	910503701415
<a href="#">4000 K, 14° Spread Lens, Black Housing, CQC, Architectural</a>	14°	685	45.7	15 W	523-000059-15	120-000080-04	910503701931	910503701415
<a href="#">4000 K, 14° Spread Lens, Black Housing, UL/cUL, Architectural</a>	14°	685	45.7	15 W	523-000059-11	120-000080-04	910503701927	910503701415
<a href="#">4000 K, 14° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	14°	685	45.7	15 W	523-000059-09	120-000080-04	910503701925	910503701415
<a href="#">4000 K, 14° Spread Lens, Gray Housing, CE, Architectural</a>	14°	685	45.7	15 W	523-000059-05	120-000080-04	910503701666	910503701415
<a href="#">4000 K, 14° Spread Lens, Gray Housing, CQC, Architectural</a>	14°	685	45.7	15 W	523-000059-07	120-000080-04	910503701748	910503701415
<a href="#">4000 K, 14° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	14°	685	45.7	15 W	523-000059-03	120-000080-04	910503701664	910503701415
<a href="#">4000 K, 14° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	14°	685	45.7	15 W	523-000059-01	120-000080-04	910503701662	910503701415
<a href="#">4000 K, 14° Spread Lens, White Housing, CE, Architectural</a>	14°	685	45.7	15 W	523-000059-21	120-000080-04	910503701937	910503701415
<a href="#">4000 K, 14° Spread Lens, White Housing, CQC, Architectural</a>	14°	685	45.7	15 W	523-000059-23	120-000080-04	910503701939	910503701415
<a href="#">4000 K, 14° Spread Lens, White Housing, UL/cUL, Architectural</a>	14°	685	45.7	15 W	523-000059-19	120-000080-04	910503701935	910503701415
<a href="#">4000 K, 14° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	14°	685	45.7	15 W	523-000059-17	120-000080-04	910503701933	910503701415

## 23° Spread Lens

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Item Number	Spread Lens	12 NC	Spread Lens 12 NC
<a href="#">2700 K, 23° Spread Lens, Black Housing, CE, Architectural</a>	23°	540	36.2	15 W	523-000059-12	120-000080-05	910503701928	910503701416
<a href="#">2700 K, 23° Spread Lens, Black Housing, CQC, Architectural</a>	23°	540	36.2	15 W	523-000059-14	120-000080-05	910503701930	910503701416
<a href="#">2700 K, 23° Spread Lens, Black Housing, UL/cUL, Architectural</a>	23°	540	36.2	15 W	523-000059-10	120-000080-05	910503701926	910503701416
<a href="#">2700 K, 23° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	23°	540	36.2	15 W	523-000059-08	120-000080-05	910503701924	910503701416
<a href="#">2700 K, 23° Spread Lens, Gray Housing, CE, Architectural</a>	23°	540	36.2	15 W	523-000059-04	120-000080-05	910503701665	910503701416
<a href="#">2700 K, 23° Spread Lens, Gray Housing, CQC, Architectural</a>	23°	540	36.2	15 W	523-000059-06	120-000080-05	910503701747	910503701416
<a href="#">2700 K, 23° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	23°	540	36.2	15 W	523-000059-02	120-000080-05	910503701663	910503701416
<a href="#">2700 K, 23° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	23°	540	36.2	15 W	523-000059-00	120-000080-05	910503701661	910503701416
<a href="#">2700 K, 23° Spread Lens, White Housing, CE, Architectural</a>	23°	540	36.2	15 W	523-000059-20	120-000080-05	910503701936	910503701416
<a href="#">2700 K, 23° Spread Lens, White Housing, CQC, Architectural</a>	23°	540	36.2	15 W	523-000059-22	120-000080-05	910503701938	910503701416
<a href="#">2700 K, 23° Spread Lens, White Housing, UL/cUL, Architectural</a>	23°	540	36.2	15 W	523-000059-18	120-000080-05	910503701934	910503701416
<a href="#">2700 K, 23° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	23°	540	36.2	15 W	523-000059-16	120-000080-05	910503701932	910503701416
<a href="#">4000 K, 23° Spread Lens, Black Housing, CE, Architectural</a>	23°	674	44.6	15 W	523-000059-13	120-000080-05	910503701929	910503701416
<a href="#">4000 K, 23° Spread Lens, Black Housing, CQC, Architectural</a>	23°	674	44.6	15 W	523-000059-15	120-000080-05	910503701931	910503701416
<a href="#">4000 K, 23° Spread Lens, Black Housing, UL/cUL, Architectural</a>	23°	674	44.6	15 W	523-000059-11	120-000080-05	910503701927	910503701416
<a href="#">4000 K, 23° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	23°	674	44.6	15 W	523-000059-09	120-000080-05	910503701925	910503701416

## 23° Spread Lens (cont.)

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Item Number	Spread Lens	12 NC	Spread Lens 12 NC
<a href="#">4000 K, 23° Spread Lens, Gray Housing, CE, Architectural</a>	23°	674	44.6	15 W	523-000059-05	120-000080-05	910503701666	910503701416
<a href="#">4000 K, 23° Spread Lens, Gray Housing, CQC, Architectural</a>	23°	674	44.6	15 W	523-000059-07	120-000080-05	910503701748	910503701416
<a href="#">4000 K, 23° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	23°	674	44.6	15 W	523-000059-03	120-000080-05	910503701664	910503701416
<a href="#">4000 K, 23° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	23°	674	44.6	15 W	523-000059-01	120-000080-05	910503701662	910503701416
<a href="#">4000 K, 23° Spread Lens, White Housing, CE, Architectural</a>	23°	674	44.6	15 W	523-000059-21	120-000080-05	910503701937	910503701416
<a href="#">4000 K, 23° Spread Lens, White Housing, CQC, Architectural</a>	23°	674	44.6	15 W	523-000059-23	120-000080-05	910503701939	910503701416
<a href="#">4000 K, 23° Spread Lens, White Housing, UL/cUL, Architectural</a>	23°	674	44.6	15 W	523-000059-19	120-000080-05	910503701935	910503701416
<a href="#">4000 K, 23° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	23°	674	44.6	15 W	523-000059-17	120-000080-05	910503701933	910503701416

## 41° Spread Lens

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Item Number	Spread Lens	12 NC	Spread Lens 12 NC
<a href="#">2700 K, 41° Spread Lens, Black Housing, CE, Architectural</a>	41°	520	34.8	15 W	523-000059-12	120-000080-06	910503701928	910503701417
<a href="#">2700 K, 41° Spread Lens, Black Housing, CQC, Architectural</a>	41°	520	34.8	15 W	523-000059-14	120-000080-06	910503701930	910503701417
<a href="#">2700 K, 41° Spread Lens, Black Housing, UL/cUL, Architectural</a>	41°	520	34.8	15 W	523-000059-10	120-000080-06	910503701926	910503701417
<a href="#">2700 K, 41° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	41°	520	34.8	15 W	523-000059-08	120-000080-06	910503701924	910503701417
<a href="#">2700 K, 41° Spread Lens, Gray Housing, CE, Architectural</a>	41°	520	34.8	15 W	523-000059-04	120-000080-06	910503701665	910503701417
<a href="#">2700 K, 41° Spread Lens, Gray Housing, CQC, Architectural</a>	41°	520	34.8	15 W	523-000059-06	120-000080-06	910503701747	910503701417
<a href="#">2700 K, 41° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	41°	520	34.8	15 W	523-000059-02	120-000080-06	910503701663	910503701417
<a href="#">2700 K, 41° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	41°	520	34.8	15 W	523-000059-00	120-000080-06	910503701661	910503701417
<a href="#">2700 K, 41° Spread Lens, White Housing, CE, Architectural</a>	41°	520	34.8	15 W	523-000059-20	120-000080-06	910503701936	910503701417
<a href="#">2700 K, 41° Spread Lens, White Housing, CQC, Architectural</a>	41°	520	34.8	15 W	523-000059-22	120-000080-06	910503701938	910503701417
<a href="#">2700 K, 41° Spread Lens, White Housing, UL/cUL, Architectural</a>	41°	520	34.8	15 W	523-000059-18	120-000080-06	910503701934	910503701417
<a href="#">2700 K, 41° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	41°	520	34.8	15 W	523-000059-16	120-000080-06	910503701932	910503701417
<a href="#">4000 K, 41° Spread Lens, Black Housing, CE, Architectural</a>	41°	646	42.8	15 W	523-000059-13	120-000080-06	910503701929	910503701417
<a href="#">4000 K, 41° Spread Lens, Black Housing, CQC, Architectural</a>	41°	646	42.8	15 W	523-000059-15	120-000080-06	910503701931	910503701417
<a href="#">4000 K, 41° Spread Lens, Black Housing, UL/cUL, Architectural</a>	41°	646	42.8	15 W	523-000059-11	120-000080-06	910503701927	910503701417
<a href="#">4000 K, 41° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	41°	646	42.8	15 W	523-000059-09	120-000080-06	910503701925	910503701417
<a href="#">4000 K, 41° Spread Lens, Gray Housing, CE, Architectural</a>	41°	646	42.8	15 W	523-000059-05	120-000080-06	910503701666	910503701417
<a href="#">4000 K, 41° Spread Lens, Gray Housing, CQC, Architectural</a>	41°	646	42.8	15 W	523-000059-07	120-000080-06	910503701748	910503701417
<a href="#">4000 K, 41° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	41°	646	42.8	15 W	523-000059-03	120-000080-06	910503701664	910503701417
<a href="#">4000 K, 41° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	41°	646	42.8	15 W	523-000059-01	120-000080-06	910503701662	910503701417
<a href="#">4000 K, 41° Spread Lens, White Housing, CE, Architectural</a>	41°	646	42.8	15 W	523-000059-21	120-000080-06	910503701937	910503701417
<a href="#">4000 K, 41° Spread Lens, White Housing, CQC, Architectural</a>	41°	646	42.8	15 W	523-000059-23	120-000080-06	910503701939	910503701417
<a href="#">4000 K, 41° Spread Lens, White Housing, UL/cUL, Architectural</a>	41°	646	42.8	15 W	523-000059-19	120-000080-06	910503701935	910503701417
<a href="#">4000 K, 41° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	41°	646	42.8	15 W	523-000059-17	120-000080-06	910503701933	910503701417

## 10 x 41° Spread Lens

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Item Number	Spread Lens	12 NC	Spread Lens 12 NC
<a href="#">2700 K, 10° x 41° Spread Lens, Black Housing, CE, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-12	120-000080-07	910503701928	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Black Housing, CQC, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-14	120-000080-07	910503701930	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Black Housing, UL/cUL, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-10	120-000080-07	910503701926	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	10° x 41°	557	37.4	15 W	523-000059-08	120-000080-07	910503701924	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Gray Housing, CE, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-04	120-000080-07	910503701665	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Gray Housing, CQC, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-06	120-000080-07	910503701747	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-02	120-000080-07	910503701663	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	10° x 41°	557	37.4	15 W	523-000059-00	120-000080-07	910503701661	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, White Housing, CE, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-20	120-000080-07	910503701936	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, White Housing, CQC, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-22	120-000080-07	910503701938	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, White Housing, UL/cUL, Architectural</a>	10° x 41°	557	37.4	15 W	523-000059-18	120-000080-07	910503701934	910503701418
<a href="#">2700 K, 10° x 41° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	10° x 41°	557	37.4	15 W	523-000059-16	120-000080-07	910503701932	910503701418

## 10 x 41° Spread Lens (cont.)

PDF Download	Beam Angle	Lumens*	Efficacy	Power	Item Number	Spread Lens	12 NC	Spread Lens 12 NC
<a href="#">4000 K, 10° x 41° Spread Lens, Black Housing, CE, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-13	120-000080-07	910503701929	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Black Housing, CQC, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-15	120-000080-07	910503701931	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Black Housing, UL/cUL, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-11	120-000080-07	910503701927	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Black Housing, UL/cUL/CE, Landscape</a>	10° x 41°	695	46.3	15 W	523-000059-09	120-000080-07	910503701925	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Gray Housing, CE, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-05	120-000080-07	910503701666	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Gray Housing, CQC, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-07	120-000080-07	910503701748	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Gray Housing, UL/cUL, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-03	120-000080-07	910503701664	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, Gray Housing, UL/cUL/CE, Landscape</a>	10° x 41°	695	46.3	15 W	523-000059-01	120-000080-07	910503701662	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, White Housing, CE, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-21	120-000080-07	910503701937	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, White Housing, CQC, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-23	120-000080-07	910503701939	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, White Housing, UL/cUL, Architectural</a>	10° x 41°	695	46.3	15 W	523-000059-19	120-000080-07	910503701935	910503701418
<a href="#">4000 K, 10° x 41° Spread Lens, White Housing, UL/cUL/CE, Landscape</a>	10° x 41°	695	46.3	15 W	523-000059-17	120-000080-07	910503701933	910503701418

\* Correlated color temperature (CCT) complies with ANSI C78.377-2008 for the chromaticity of solid state lighting products.

† Lumen output measurements comply with IES LM-79-08 testing procedures.

§ Trim Ring or Glare Shield required for mounting spread lens. Must be ordered separately.

